

**From:** John Curry/ESC/R3/USEPA/US  
**Sent:** 3/16/2012 5:12:07 PM  
**To:** Cynthia Caporale/ESC/R3/USEPA/US@EPA  
**CC:**  
**Subject:** Re: CWA spread sheet and Bomate study.

Hi Cindy,

Sorry if I wasn't clear, these are our edits/corrections based on the discussion in the conference call, that I told you about when we meet. This new version of the spreadsheet should go to Terry after you have reviewed and agree with the changes. The changes are based on the assumption that the only work that would be done are two PT samples a year. I changed the consumables to \$7,000 as was agreed on by the group and the labor hours to reflect only running the two PT samples scheduled in a year. Any further method development would be paid for by headquarters. Please let me know if you have any other questions. Thanks.

\*\*\*\*\*

John D. Curry  
Office of Analytical Services & Quality Assurance  
EPA Region III  
701 Mapes Road  
Ft. Meade, MD 20755-5350  
410-305-2608 (voice)  
410-305-3093 (fax)  
Curry.John@epa.gov

\*\*\*\*\*

**From:** Cynthia Caporale/ESC/R3/USEPA/US  
**To:** John Curry/ESC/R3/USEPA/US@EPA  
**Date:** 03/16/2012 02:50 PM  
**Subject:** Re: CWA spread sheet and Bomate study.

Was Terry re-doing the spreadsheet or is this one suppose to go to him with the changes?

Cynthia Caporale, Chief  
OASQA Laboratory Branch  
U.S. EPA Region III  
Environmental Science Center  
Fort Meade, MD  
(410) 305-2732  
Fax: (410) 305-3095

**From:** John Curry/ESC/R3/USEPA/US  
**To:** Cynthia Caporale/ESC/R3/USEPA/US@EPA  
**Date:** 03/15/2012 03:27 PM  
**Subject:** CWA spread sheet and Bomate study.

Hi Cindy,

Attached is the CWA spreadsheet with the modifications that we spoke about based on the teleconference with Terry. The

changes are based on the assumption that the only work that would be done are two PT samples a year. I changed the consumables and the labor hours to reflect that, please take a look at it and see if you agree with the changes.  
[attachment "Consolidated CWA Lab Long Term Cost Evaluation\_v7 JDC 31512.xlsx" deleted by Cynthia Caporale/ESC/R3/USEPA/US]

## Non-responsive

Non-responsive With Dimock I lost track of that one. Thanks.

\*\*\*\*\*  
John D. Curry  
Office of Analytical Services & Quality Assurance  
EPA Region III  
701 Mapes Road  
Ft. Meade, MD 20755-5350  
410-305-2608 (voice)  
410-305-3093 (fax)  
Curry.John@epa.gov  
\*\*\*\*\*